

Regional Architecture

UPDATE – March 2003

including:

1. Operational Requirements
2. Subsystem and Equipment/Market Package Requirements
3. Communication Requirements

Knoxville ITS Communication Master Plan

Version: FINAL-revision 2
Issued: March 2003

Prepared for:

State of Tennessee
Tennessee Department of
Transportation (TDOT)
Suite 1000
James K. Polk Bldg.
Nashville, TN 37219



Prepared by:

Kimley-Horn and Associates, Inc.
412 N. Cedar Bluff Rd., Suite 412
Knoxville, TN 37923
TEL 865-694-2096
FAX 865-694-1481



1 Background 2

2 Regional ITS Roles 5

3 Deployment Approach..... 13

4 User Service Bundles and User Services for the Knoxville Area..... 16

5 Logical Architecture 23

6 Physical Architecture..... 38

7 Inter-agency Communication Interfaces 49

8 ITS Standards..... 51

9 Regional Stakeholders 56

10 Implementation Programming 60

1 Background

The Knoxville Urban Area serves as a major crossroads on the national highway network, both in terms of private and commercial travel. The area lies within a broad valley in east Tennessee near the Great Smoky Mountains. Knoxville is at the center of the eastern United States, situated within a one-day driving time of 75% of America’s population. Historically, the region’s quality of life has received national acclaim due to its location and pleasant and diverse climate, as well as many other amenities. These include important institutional resources such as the University of Tennessee (UT) and the nearby Oak Ridge National Laboratory (ORNL). Knoxville also serves as the headquarters for the Tennessee Valley Authority (TVA), the largest Federal agency oriented to domestic economic and environmental resource development. These attributes have led the area to become both a major economic hub and a tourist destination. For some time, the Tennessee Department of Transportation (TDOT) and jurisdictions in the Knoxville area have been implementing Intelligent Transportation System (ITS) technologies to improve traffic management for the area. ITS is the application of advanced information processing,

communications, vehicle sensing and traffic control technologies to the surface transportation systems. The objectives of ITS are to promote more efficient use of the existing highway and transportation network, to increase safety and mobility, and to decrease the environmental impacts of congestion.

In September 1998, the ITS Strategic Assessment for the Knoxville Urban Area was completed. That Strategic Assessment Plan incorporated input from various stakeholders including local emergency services, state local city and county DOT's, regional planning entities, transit and airport authorities, and the Federal Highway Administration (FHWA).

The next step after the Strategic Assessment has been to develop the regional architecture and the concept of operations to help further define the roles of the agencies and the planned ITS deployment in the region. This provides a foundation for the integration of ITS applications within the transportation infrastructure in the region. Kimley-Horn and Associates, Inc. has been retained by TDOT to assist in developing the regional architecture plan for the Knoxville area. The architecture addresses the required user services, logical and physical architectures, and communication requirements. This will provide a vision of regional ITS and traffic management for the Knoxville area.

The National Architecture version 3.0 divides an ITS architecture into several defined components as depicted in Figure 1. The intent of this technical memorandum is to define the User Service Bundles/User Services, Logical Architecture, Physical Architecture, implementation strategies, and required standards and Inter-agency Communication Interfaces. This will enable the Knoxville area stakeholders to develop an implementation plan to follow for deploying the desired user services.




Figure 1 – Components of National Architecture

User service bundles and User Services define the ITS user requirements that will assist in resolving the transportation problems for the Knoxville area. To date, thirty-one User Services have been jointly developed by US DOT and ITS America with substantial stakeholder input. A set of requirements covering each of these User Services are the basis for the National ITS Architecture definition. The *Logical Architecture* defines the Processes (the activities or functions) required to support the ITS User Services. It defines the processes that perform ITS functions and the information or data flows that are shared between these processes. The *Physical Architecture* forms a high-level structure around the processes and data flows in the Logical Architecture. The Physical Architecture defines the Subsystems and Terminators that make up an intelligent transportation system. It defines the Architecture Flows that connect the various Subsystems and Terminators into an integrated system. The subsystems generally provide a rich set of capabilities, more than would be implemented at any one place or time. *Equipment Packages* break up the subsystems into deployment-sized pieces. *Market Packages* represent slices of the Physical Architecture that address specific services like surface street control. A market package collects together several different subsystems, equipment packages, terminators, and architecture flows that provide the desired service. Standards Requirements provide a view of the essential data requirements for on-going ITS standards activities. The inter-agency communications interfaces provide the media required to share the data between the different subsystems and agencies.

2 Regional ITS Roles

The following list presents proposed operational roles for the principal agencies for the Knoxville Region. This was developed by allocating functions identified in the ITS Strategic Assessment and interviews with stakeholders. The subheading under each of the principal agencies is either an existing entity within the organization or one that would be required in the future.

2.1 *Tennessee Department of Transportation*

2.1.1 Freeway Management

- Monitor real-time traffic flow
- Identify equipment failure and enact backup plan
- Track and implement preventive maintenance schedules for field equipment
- Employ control strategies that seek to maximize safe traffic movement
- Devise, enact and monitor the results of changes in tactical operations
- Share information on traffic flow conditions with other agencies
- Provide information to travelers on current status of roadway network
- Maintain communications with other TDOT operating agencies
- Identify incident locations and monitor the impact of incidents
- Evaluate the severity of incidents
- Provide data on the status of incident management operations
- Participate in devising a regional incident management plan

- Maintain the capability to coordinate with other agencies for responding to incidents and emergencies
- Operate variable message signs and highway advisory radio
- Support the Department of Environmental Quality in roadside emission testing
- Share traffic data with those agencies that promote ride sharing and parking management
- Evaluate system effectiveness
- Implement systems in coordination with planned construction/maintenance activities
- Provide motorists with safe driving conditions on highways and bridges during icy weather
- Support the University Research
- Coordinate with other TDOT regions (Nashville, Memphis, Chattanooga)

2.1.2 Contract Administration

- Issue Request for Proposal for ITS projects
- Award contracts for ITS projects
- Prepare, coordinate and manage the development of contract documents for ITS programs
- Monitor the ITS budget for the region
- Forecast the budget for ITS projects
- Administer contracts for ITS projects and activities

2.1.3 Technical Construction

- Supervise construction of ITS projects
- Coordinate construction, maintenance and permit works
- Support testing and evaluation of new systems and concepts for improved operations and management
- Implement work zone safety measures

2.1.4 Traffic Engineering

- Analyze traffic operations problem
- Provide safe and effective solutions to traffic operations problems
- Provide traffic engineering advice for construction projects
- Support testing and evaluation of new systems and concepts for improved operations and management
- Implement crash countermeasures at high accident locations

2.1.5 Traffic Field Operations

- Install traffic signs, traffic signals and pavement markings
- Support ITS projects

2.1.6 Maintenance

- Perform snow removal operations on arterials
- Receive maintenance request from the Regional Transportation Coordination Center
- Automate the process for inventory and reporting of resources
- Provide data on emergency and non-emergency repair needs

2.1.7 Interstate Maintenance

- Support snow removal on Interstate highways
- Receive maintenance request from the Regional Transportation Coordination Center
- Automate the process for inventory and reporting of resources
- Provide motorists with the safest driving conditions on highways and bridges during icy weather

2.1.8 Regional Transportation Coordination Center

- Receive and respond to customer calls
- Monitor roadways during inclement weather
- Maintain contact with media during emergencies
- Disseminate construction, maintenance and permit work schedules
- Coordinate emergency response using all appropriate agencies
- Support incident management on freeways and surface streets
- Receive motorist emergency notification call information from other agencies

2.1.9 Planning

- Integrate ITS Programs in the planning process
- Analyze the impact of ITS programs and strategies on the regional transportation system
- Integrate ITS Program in the multimodal strategies adopted for the regional long range plan and short range improvement program

2.1.10 Construction

- Identify traffic needs
- Coordinate road construction, maintenance, and permit works with the Transportation Centers
- Implement work zone safety measures
- Provide information to travelers on current status of roadway network through traveler information providers
- Coordinate with Transportation System operators to maintain/improve ITS functions during construction

2.2 *City and County Agencies*

2.2.1 Surface Street Management

- Monitor real-time traffic flow
- Monitor and operate district wide signal control system
- Identify field equipment failure and enact established backup plans to maintain safe operations
- Adjust the signal system operations during emergencies
- Maintain communications with an operations facility that communicates and coordinates multi-agency resources
- Share information on current status of network conditions with other agencies
- Receive incident information
- Manage the flow of traffic at the incident scene by possibly changing timing plans

- Participate in devising a regional incident management plan
- Share traffic data with those agencies that promote ride sharing and parking management
- Provide signal priority to transit vehicles
- Provide signal priority to emergency vehicles responding to incidents
- Provide communications with all the traffic signals from a central control facility
- Evaluate system effectiveness
- Support incident management by developing and manipulating signal timing plans
- Coordinate with other jurisdictions' signal system
- Improve bicyclist safety on roadways
- Implement pedestrian safety measures at pedestrian crossings

2.2.2 Sub-area Transportation Coordination Center (provided by the lead agency of a sub-area)

- Receive and respond to customer calls
- Monitor roadways during inclement weather
- Maintain contact with media during emergencies
- Coordinate traffic information provided to media
- Disseminate construction, maintenance and permit work schedules
- Coordinate emergency response using appropriate agencies
- Support incident management on freeways and surface streets

- Receive motorist emergency notification call information from other sub-area agencies
- Provide regional coordination with other sub-areas and regional ITS coordination program

2.3 Transit Agencies

2.3.1 Transit Vehicle Management

- Provide Tracking and Dispatch of Transit Vehicles
- Provide Transit Information Services to Public
- Coordinate Fixed Route Operations
- Coordinate Paratransit Operation
- Provide Transit Center Fare and Load Management
- Provide Transit Multi-modal Coordination

2.3.2 Maintenance

- Coordinate Center Garage Operation
- Automate the process for inventory and reporting of resources
- Provide data on emergency and non-emergency repair needs

2.4 Joint Operations between TDOT and local jurisdictions

2.4.1 Regional Transportation Management

- Coordinate with other regions and sub-area centers
- Provide data sharing between sub-areas, Freeway and Transit operations

- Develop and maintain regional framework and architecture
- Provide regional data archiving and retrieval
- Coordinate ITS projects to ensure an integrated regional system
- Coordinate with statewide ITS programs and activities
- Promote Knoxville regional ITS program to the general public, ITS professionals, and elected and appointed local officials

3 Deployment Approach

3.1 Existing ITS Deployment Strategic Priorities

Near-term ITS deployments are based upon planning efforts and strategies developed by the ITS Coordinating Committee and are prioritized based upon new knowledge and experience with ITS. Current ITS priorities are documented on the TDOT web page at http://www.tdot.state.tn.us/chief_of_administration/Strategic_planning_office/itsplan.pdf.

Of the Strategic Priorities listed in the documents available on this web site, the following priorities are pertinent to the Regional Communication Plan and ITS Architecture.

- Targeted implementation of ITS elements in selected locations for freeway incident management and to support data collection and field test deployment strategies.
- ITS regional architecture development

Planned ITS deployment goals are based upon these priorities and include deployments throughout the State of Tennessee including Knoxville, Memphis, Chattanooga, and Nashville. This section discusses the planned deployment of ITS in Knoxville and the relevance to integration within the Regional ITS Architecture. The architecture is modular, which affords a great degree of flexibility in project sequencing.

3.2 Sub-area Deployment

The local agencies all have or are planning deployment of local transportation management systems, primarily centered on traffic signal management and traveler information services. The general consensus of the stakeholders is to build up to a fully integrated regional system in smaller logical groupings of geographically associated agencies. This concept provides each sub-area group of agencies with the ability to share information and better manage sub-area transportation needs without having to be fully integrated with a regional system. Each sub-area as defined in the regional physical architecture would work together to share and coordinate their operations between the jurisdictions. A lead agency will be responsible for the role of providing the Sub-area Transportation Coordination Management System. This Coordination Management

System would provide a central repository of sub-area pertinent information. This information would be used for sub-area agency coordination. It will also be available for dissemination to interested parties such as media, public, and information service providers. Because each agency and sub-area would follow the overall regional architecture, each sub-area would also be able to integrate with the regional coordination center, when feasible and necessary. This would provide the regional center with the sub-area information and the sub-area would in return receive regional information.

This approach has numerous benefits including:

- Ability to build and deploy in smaller manageable increments
- Ability to claim early success and build consensus in the region
- Learn and improve process incrementally
- Reduce technical obsolescence by deploying in stages

Jurisdictions that do not participate in the initial deployments can always integrate in the future as funding and needs dictate. By following the regional architecture, becoming a member of the network can be accomplished at any time.

3.3 Freeway Management System Deployment

TDOT is moving forward with deployment of the initial freeway traffic management system. Pilot projects and subsequent expansion projects are envisioned. Freeway traffic management generally embodies the field elements that provide surveillance, detection and information dissemination to fulfill the functional requirements as defined above. This will include the linkage between the field elements and the operations center where control and management functions are performed. Provided within the system will be the link to the Regional Transportation Management System (defined later) to share pertinent traffic data and coordination.

3.4 Transit Management System Deployment

The transit authorities in the region are continuing to expand and improve their operations. Examples include providing vehicle tracking, and automated transit information. As the

authorities continue to expand and improve their systems, links to the regional or sub-area networks will be needed. This will enable the transit authority to consolidate the transit information within the regional structure and provide data to the transit authority to better operate the transit system.

3.5 Regional Transportation Management System Deployment

It is envisioned that a Regional Transportation Management System (RTMS) will emerge from the deployment process. The RTMS would be a functional “agency” sponsored by State and local agencies. Its primary purpose would be coordination of transportation management on a regional level. It is envisioned that the RTMS would provide interagency coordination with each of the sub-areas and the Freeway Management System as they come “on-line”. Pertinent information would be communicated to and received from each of the sub-areas in the region.

4 User Service Bundles and User Services for the Knoxville Area

To be consistent with the National ITS Architecture, the functional requirements defined by the Knoxville area stakeholders need to be framed into the National Architecture User Services. User Services further document and standardize what ITS should do from the user's perspective. A broad range of users are considered, including the traveling public as well as many different types of system operators and agencies. Thirty-one User Services form the basis for the National ITS Architecture development effort. United States Department of Transportation (USDOT) and ITS America, with significant stakeholder input, jointly defined these user services. The concept of user services allows system or project definition to begin by establishing the high level services that will be provided to address identified problems and needs. New or updated user services may be added to the National ITS Architecture over time.

A logical grouping of user services provides a convenient way to discuss the range of requirements in a broad stakeholder area. In the National ITS Architecture User Service Requirements, the User Services are grouped into seven bundles. For the Knoxville area the applicable bundles include:

- Travel and Traffic Management,
- Public Transportation Management,
- Electronic Payment,
- Emergency Management, and
- Information Management.

At this time, the area does not envision implementing Commercial Vehicle Operations and Advanced Vehicle Safety Systems. By utilizing the National ITS Architecture, these two bundles are not precluded from being implemented at any time in the future. Each can be implemented as deemed appropriate in the future. It is also important to note that Commercial Vehicle Operations are being separately addressed at a statewide level by TDOT.

The following describes the User Services being used for the Knoxville area. A top-level description of each User Service is provided. Additional User Service descriptions and Process Specifications that further detail each one are not included and can be referenced in the National

ITS Architecture Document. The bundles and User Services that are not being utilized presently are left for reference and noted as such.

4.1 Travel and Traffic Management User Service Bundle

- 4.1.1 Pre-trip Travel Information - ITS shall provide a Pre-Trip Travel Information (PTTI) capability to assist travelers in making mode choices, route decisions, and estimating travel times prior to trip departure. It consists of four major functions: Available Services Information, Current Situation Information, Trip Planning Service, and User Access. Information is integrated from various transportation modes and presented to the user for decision making.
- 4.1.2 En-route Driver Information - ITS shall include an En-Route Driver Information (DI) function. Driver Information provides vehicle drivers with information, while en-route, which will allow alternative routes to be chosen for their destination. Driver Information consists of two major functions: Driver Advisory, and In-vehicle Signing. The potential diversion of traffic may also provide benefits in highway safety, reduced air pollution, and decreased congestion.
- 4.1.3 Route Guidance – not used
- 4.1.4 Ride Matching And Reservation – ITS shall include a Ride Matching and Reservation (RMR) function. Ride Matching and Reservation will provide traveling users with information on rideshare providers. Three major functions are provided which are: Rider Request, Transportation Provider Services, and Information Processing. This will also include a billing service to the providers
- 4.1.5 Traveler Services Information - ITS shall include a Traveler Services Information (TSI) function. Traveler Services Information provides travelers with service and facility data for the purpose of assisting prior to embarking on a trip or after the traveler is underway. The functions which are included in this capability are Information Receipt and Information Access. This will provide the traveler with a "yellow pages" type of capability.

4.1.6 Traffic Control - ITS shall provide a Traffic Control capability. Traffic Control provides the capability to efficiently manage the movement of traffic on streets and highways. Four functions are provided which are: Traffic Flow Optimization, Traffic Surveillance, Control Function, and Provide Information. This will also include control of network signal systems with eventual integration of freeway control.

4.1.7 Incident Management - ITS shall include an Incident Management (IM) function. Incident Management will identify incidents, formulate response actions, and support initiation and ongoing coordination of those response actions. Six major functions are provided which are:

- Scheduled Planned Incidents,
- Identify Incidents,
- Formulate response Actions,
- Support Coordinated Implementation of Response Actions,
- Support Initialization of Response to Actions, and
- Predict Hazardous Conditions.

4.1.8 Travel Demand Management – Travel Demand Management will generate and communicate management and control strategies that will support and facilitate the implementation of TDM programs, policies and regulations. It consists of two major functions that are (1) Increase Efficiency of Transportation System and (2) Provide Wide Variety of Mobility Options.

4.1.9 Emissions Testing And Mitigation– ITS shall include an Emission Testing and Mitigation (ETAM) Function. The ETAM function will provide state and local governments with the capability to enhance their air quality control strategies. The ETAM will provide both wide area and roadside emissions monitoring. Information gleaned from ETAM will be used by Traffic Demand Management (TDM) in the Traffic Management Center (TMC) to mitigate pollution, and may be provided to enforcement agencies to compel offenders to comply with standards.

4.1.10 Highway-rail Intersection – ITS shall include a Highway-Rail Intersection (HRI) function to control highway and rail traffic in at-grade HRIs. Two sub-services are supported:

- Standard Speed Rail Subservice, which is applicable to light-rail transit, commuter rail and heavy rail trains with operational speeds up to 79 miles per hour MPH, and
- High Speed Rail Subservice, which is applicable to all passenger and freight trains with operational speeds from 80 to 125 MPH.

4.2 Public Transportation Management User Service Bundle

4.2.1 Public Transportation Management - ITS shall include a Public Transportation Management (PTM) function. PTM shall include an Operation of Vehicles and Facilities (OVF) function that provides computer assisted control of the operation of vehicles and their associated facilities.

4.2.2 En-route Transit Information - ITS shall include an En-Route Transit Information (TI) function. En-Route Transit Information provides travelers with real-time transit and high-occupancy vehicle information allowing travel alternatives to be chosen once the traveler is en-route. It consists of three major functions: Information Distribution, Information Receipt, and Information Processing. These capabilities integrate information from different transit modes and present it to travelers for decision making.

4.2.3 Personalized Public Transit - ITS shall include a Personalized Public Transit (PPT) function. ITS shall include a Personalized Public Transit (PPT) function. The PPT shall include a Rider Request that shall provide the capability for an individual rider to request a trip by specifying the trip origin and destination, time and date. It shall provide the capability for an individual to specify a rider's special equipment or handling requirements. The Rider Request shall provide the capability to notify a requester of the fact that a trip assignment has been made including the time at which the vehicle is expected at the point of departure.

4.2.4 Public Travel Security – not used

4.3 *Electronic Payment User Service Bundle*

- 4.3.1 Electronic Payment Services - ITS shall include an Electronic Payment capability. Electronic Payment Services allows travelers to pay for transportation services by electronic means. Four functions are provided: Electronic Toll Collection, Electronic Fare Collection, Electronic Parking Payment, and Electronic Payment Services Integration.

4.4 *Commercial Vehicle Operations User Service Bundle (not used)*

- 4.4.1 Commercial Vehicle Electronic Clearance – not used
- 4.4.2 Automated Roadside Safety Inspection – not used
- 4.4.3 On-board Safety Monitoring – not used
- 4.4.4 Commercial Vehicle Administrative Processes – not used
- 4.4.5 Hazardous Material Incident Response – not used
- 4.4.6 Commercial Fleet Management – not used

4.5 *Emergency Management User Service Bundle*

- 4.5.1 Emergency Notification and Personal Security - ITS shall include an Emergency Notification And Personal Security (ENPS) function that provides for faster notification of travelers involved in an incident.
- 4.5.2 Emergency Vehicle Management - ITS shall include an Emergency Vehicle Management (EVM) Service. The Emergency Vehicle Management Service shall be provided by an Emergency Vehicle Fleet Management System. The Emergency Vehicle Fleet Management System shall maintain the availability status of relevant emergency vehicles, determine the emergency response vehicles best suited to respond to an incident, and dispatch the appropriate emergency response vehicle (s) to the incident. The Emergency Vehicle Management Service shall be provided by a Route Guidance System. The Route Guidance system shall maintain real-time information on traffic

conditions, emergency response vehicle locations, and emergency response vehicle destinations. It shall advise emergency response vehicles of appropriate routes. Emergency Vehicle Management Service shall be provided by a Signal Priority System. The Signal Priority System shall maintain real-time information on signal timing, emergency vehicle locations and emergency vehicle routing.

4.6 Advanced Vehicle Safety Systems User Service Bundle (not used)

4.6.1 Longitudinal Collision Avoidance – not used

4.6.2 Lateral Collision Avoidance – not used

4.6.3 Intersection Collision Avoidance – not used

4.6.4 Vision Enhancement for Crash Avoidance – not used

4.6.5 Safety Readiness – not used

4.6.6 Pre-crash Restraint Deployment – not used

4.6.7 Automated Vehicle Operation– not used

4.7 Information Management User Service Bundle

4.7.1 Archived Data Function - ITS shall provide an Archived Data Function to control the archiving and distribution of ITS data. The Archived Data User Service provides the Historical Data Archive Repositories and controls the archiving functionality for all ITS data with five major functions:

- Operational Data Control function to manage operations data integrity,
- Data Import and Verification function to acquire historical data from the Operational Data Control function,
- Automatic Data Historical Archive function for permanently archiving the data,
- Data Warehouse Distribution function, which integrates the planning, safety, operations, and research communities into ITS and processes data products for these communities, and

- ITS Community Interface which provides the ITS common interface to all ITS users for data products specification and retrieval. ADUS helps achieve the ITS information goal of unambiguous interchange and reuse of data and information throughout all functional areas.

5 Logical Architecture

The Logical Architecture defines the Processes (the activities or functions) that are required to satisfy the User Services. Many different Processes must work together and share information to provide a User Service. Utilizing Data Flow Diagrams (DFD) and Process Specifications (Pspec), the logical architecture defines the functions that are required to perform ITS user services and the information or data flows that need to be exchanged between these functions. Data Flows identify the information that is shared by the Processes.

Data flow diagrams (DFD) provide a graphical view of how the processes and data flows fit together. In a data flow diagram, circles represent functions that are broken down into lower levels of detail on subsequent diagrams. Rectangles represent the external entities. The lines drawn between the function circles and between the functions and the external entity rectangles represent data flows. They are further subdivided on subsequent diagrams and are described in a data dictionary. The data dictionary has not been included in this document, but can be referenced in the National ITS Architecture Documentation. The lowest level of decomposition is a Pspec. An example of a Pspec would be *Process Traffic Sensor Data*. This process is responsible for collecting surveillance data obtained from the roadside, vehicles, pedestrians (travelers using other modes of transport), railroad grade and multimodal crossings. Process Traffic Sensor Data passes the data on to another process, *Collect and Process Sensor Fault Data*, where it is combined with other such detected data. Both process specifications are within the *Manage Traffic* function.

Appendix A contains the data flow diagrams and Process Specifications required for the Knoxville area User Services. Each Process Specification in the Appendix is cross-referenced to the user requirements that it satisfies.

The following is a list of the selected system Data Flow Diagrams (DFD) with their respective Pspecs. The number following each data flow or Pspec title is its level in the overall logical architecture.

DFD Manage ITS 0

DFD Manage Traffic 1

DFD Provide Traffic Surveillance 1.1

DFD Process Sensor Data 1.1.1

 Pspec Process Traffic Sensor Data 1.1.1.1

 Pspec Collect and Process Sensor Fault Data 1.1.1.2

 Pspec Process Environmental Sensor Data 1.1.1.3

 Pspec Manage Data Collection and Monitoring 1.1.1.4

DFD Process and Store Traffic Data 1.1.2

 Pspec Process Traffic Data for Storage 1.1.2.1

 Pspec Process Traffic Data 1.1.2.2

 Pspec Update Data Source Static Data 1.1.2.3

 Pspec Monitor HOV lane use 1.1.2.4 (not included in Knoxville)

 Pspec Process Tag/AVL Data for Link Time Data 1.1.2.5 (not included in Knoxville)

 Pspec Process Collected Vehicle Smart Probe Data 1.1.2.6 (not included in Knoxville)

 Pspec Monitor Reversible Lanes 1.1.2.7 (not included in Knoxville)

 Pspec Generate Predictive Traffic Model 1.1.3

DFD Display and Output Traffic Data 1.1.4

 Pspec Retrieve Traffic Data 1.1.4.1

 Pspec Provide Traffic Operations Personnel Traffic Data Interface 1.1.4.2

 Pspec Provide Direct Media Traffic Data Interface 1.1.4.3

 Pspec Update Traffic Display Map Data 1.1.4.4

 Pspec Provide Media System Traffic Data Interface 1.1.4.5

 Pspec Provide Traffic Data Retrieval Interface 1.1.4.6

 Pspec Manage Traffic Archive Data 1.1.4.7

 Pspec Exchange data with Other Traffic Centers 1.1.5

DFD Provide Device Control 1.2

 Pspec Select Strategy 1.2.1

DFD Determine Road and Freeway State 1.2.2

 Pspec Determine Indicator State for Freeway Management 1.2.2.1

 Pspec Determine Indicator State for Road Management 1.2.2.2

 Pspec Determine Ramp State 1.2.3

DFD Output Control Data 1.2.4

 Pspec Output Control Data for Roads 1.2.4.1

 Pspec Output Control Data for Freeways 1.2.4.2

DFD Manage Parking Lot State 1.2.5

 Pspec Determine Parking Lot State 1.2.5.1

 Pspec Coordinate Other Parking Data 1.2.5.2

 Pspec Provide Parking Lot Operator Interface 1.2.5.3

 Pspec Determine P+R needs for Transit Management 1.2.5.4

 Pspec Manage Parking Archive Data 1.2.5.5

 Pspec Calculate Parking Lot Occupancy 1.2.5.6

DFD Maintain Static Data for TMC 1.2.6

 Pspec Maintain Traffic and Sensor Static Data 1.2.6.1

 Pspec Provide Static Data Store Output Interface 1.2.6.2

DFD Provide Roadside Control Facilities 1.2.7

 Pspec Process Indicator Output Data for Roads 1.2.7.1

 Pspec Monitor Roadside Equipment Operation for Faults 1.2.7.2

 Pspec Manage Indicator Preemptions 1.2.7.3

 Pspec Process In-vehicle Signage Data 1.2.7.4

 Pspec Process Indicator Output Data for Freeways 1.2.7.5

Pspec Provide Intersection Collision Avoidance Data 1.2.7.6 (not included in Knoxville)

Pspec Process Vehicle Smart Probe Data for Output 1.2.7.7 (not included in Knoxville)

DFD Collect and Process Indicator Fault Data 1.2.8

Pspec Collect Indicator Fault Data 1.2.8.1

Pspec Maintain Indicator Fault Data Store 1.2.8.2

Pspec Provide Indicator Fault Interface for C and M 1.2.8.3

Pspec Provide Traffic Operations Personnel Indicator Fault Interface 1.2.8.4

DFD Manage Incidents 1.3

DFD Traffic Data Analysis for Incidents 1.3.1

Pspec Analyze Traffic Data for Incidents 1.3.1.1

Pspec Maintain Static Data for Incident Management 1.3.1.2

Pspec Process Traffic Images 1.3.1.3

DFD Review and Manage Incident Data 1.3.2

Pspec Store Possible Incident Data 1.3.2.1

Pspec Review and Classify Possible Incidents 1.3.2.2

Pspec Review and Classify Planned Events 1.3.2.3

Pspec Provide Planned Events Store Interface 1.3.2.4

Pspec Provide Current Incidents Store Interface 1.3.2.5

Pspec Respond to Current Incidents 1.3.3

DFD Provide Operator Interfaces for Incidents 1.3.4

Pspec Retrieve Incident Data 1.3.4.1

Pspec Provide Traffic Operations Personnel Incident Data Interface 1.3.4.2

Pspec Provide Media Incident Data Interface 1.3.4.3

Pspec Update Incident Display Map Data 1.3.4.4

Pspec Manage Resources for Incidents 1.3.4.5

Pspec Manage Possible Predetermined Responses Store 1.3.5

Pspec Manage Predetermined Incident Response Data 1.3.6

Pspec Analyze Incident Response Log 1.3.7

DFD Manage Travel Demand 1.4

Pspec Provide Traffic Operations Personnel Demand Interface 1.4.1

Pspec Collect Demand Forecast Data 1.4.2

Pspec Update Demand Display Map Data 1.4.3

Pspec Implement Demand Management Policy 1.4.4

Pspec Calculate Forecast Demand 1.4.5

DFD Manage Emissions 1.5

Pspec Provide Traffic Operations Personnel Pollution Data Interface 1.5.1

Pspec Process Pollution Data 1.5.2

Pspec Update Pollution Display Map Data 1.5.3

Pspec Manage Pollution State Data Store 1.5.4

Pspec Process Vehicle Pollution Data 1.5.5

Pspec Detect Roadside Pollution Levels 1.5.6

Pspec Manage Pollution Data Log 1.5.7

Pspec Manage Pollution Reference Data Store 1.5.8

Pspec Manage Pollution Archive Data 1.5.9

DFD Manage Highway Rail Intersections 1.6

DFD Manage HRI Vehicle Traffic 1.6.1

Pspec Detect Roadway Events 1.6.1.1

DFD Activate HRI Device Controls 1.6.1.2

Pspec Control HRI Traffic Signals 1.6.1.2.1

Pspec Control HRI Warnings and Barriers 1.6.1.2.2

Pspec Provide SSR Device Controls 1.6.1.2.3

Pspec Provide HSR Device Controls 1.6.1.2.4

Pspec Manage Device Control 1.6.1.2.5

Pspec Maintain Device State 1.6.1.2.6

Pspec Perform Equipment Self-Test 1.6.1.3

DFD Provide Advisories and Alerts 1.6.1.4

Pspec Generate Alerts and Advisories 1.6.1.4.1

Pspec Provide Closure Parameters 1.6.1.4.2

Pspec Report Alerts and Advisories 1.6.1.4.3

Pspec Report HRI Status on Approach 1.6.1.4.4

Pspec Detect HRI Hazards 1.6.1.5

DFD Provide Advance Warnings 1.6.1.6

Pspec Close HRI on Detection 1.6.1.6.1

Pspec Detect Imminent Vehicle/Train Collision 1.6.1.6.2

DFD Execute Local Control Strategy 1.6.1.7

Pspec Control Vehicle Traffic at Passive HRI 1.6.1.7.1

Pspec Control Vehicle Traffic at Active HRI 1.6.1.7.2

Pspec Close HRI on Command 1.6.1.7.3

DFD Interact with Rail Operations 1.6.2

Pspec Exchange Data with Rail Operations 1.6.2.1

Pspec Manage Alerts and Advisories 1.6.2.2

Pspec Manage Rail Traffic Control Data 1.6.2.3

DFD Manage HRI Rail Traffic 1.6.3

Pspec Interact with Wayside Systems 1.6.3.1

Pspec Advise and Protect Train Crews 1.6.3.2

Pspe Provide ATS Alerts 1.6.3.3

DFD Interact with Vehicle Traffic Management 1.6.4

Pspe Manage HRI Closures 1.6.4.1

Pspe Exchange Data with Traffic Management 1.6.4.2

DFD Monitor HRI Status 1.6.5

Pspe Provide Interactive Interface 1.6.5.1

Pspe Determine HRI Status 1.6.5.2

Pspe Maintain HRI Closure Data 1.6.5.3

DFD Manage Commercial Vehicles (not included in Knoxville) 2

DFD Provide Vehicle Monitoring and Control (not included in Knoxville) 3

DFD Manage Transit 4

DFD Operate Vehicles and Facilities 4.1

Pspe Process Transit Vehicle Sensor Trip Data 4.1.1

DFD Determine Transit Vehicle Deviation and Corrections 4.1.2

Pspe Determine Transit Vehicle Deviation and ETA 4.1.2.1

Pspe Determine Transit Vehicle Corrective Instructions 4.1.2.2

Pspe Provide Transit Vehicle Driver Interface 4.1.2.3

Pspe Provide Transit Vehicle Correction Data Output Interface 4.1.2.4

Pspe Request Transit Vehicle Preemptions 4.1.2.5

Pspe Provide Transit Vehicle Location Data 4.1.3

Pspe Manage Transit Vehicle Deviations 4.1.4

Pspe Provide Transit Vehicle Status Information 4.1.5

Pspe Manage Transit Vehicle Operations Data 4.1.6

Pspe Provide Transit Vehicle Deviation Data Output Interface 4.1.7

Pspe Provide Transit Operations Data Distribution Interface 4.1.8

Pspec Process Transit Vehicle Sensor Maintenance Data 4.1.9

DFD Plan and Schedule Transit Services 4.2

DFD Provide Demand Responsive Transit Service 4.2.1

Pspec Process Demand Responsive Transit Trip Request 4.2.1.1

Pspec Compute Demand Responsive Transit Vehicle Availability 4.2.1.2

Pspec Generate Demand Responsive Transit Schedule and Routes 4.2.1.3

Pspec Confirm Demand Responsive Transit Schedule and Route 4.2.1.4

Pspec Process Demand Responsive Transit Vehicle Availability Data 4.2.1.5

Pspec Provide Demand Responsive Transit Driver Interface 4.2.1.6

Pspec Provide Transit Plans Store Interface 4.2.2

DFD Generate Transit Routes and Schedules 4.2.3

Pspec Generate Transit Routes 4.2.3.1

Pspec Generate Schedules 4.2.3.2

Pspec Produce Transit Service Data for External Use 4.2.3.3

Pspec Provide Transit Fleet Manager Interface for Services Generation 4.2.3.4

Pspec Manage Transit Operational Data Store 4.2.3.5

Pspec Produce Transit Service Data for Manage Transit Use 4.2.3.6

Pspec Provide Interface for Other TRM Data 4.2.3.7

Pspec Provide Interface for Transit Service Raw Data 4.2.3.8

Pspec Update Transit Map Data 4.2.3.9

Pspec Manage Transit Archive Data 4.2.4

DFD Schedule Transit Vehicle Maintenance 4.3

Pspec Monitor Transit Vehicle Condition 4.3.1

Pspec Generate Transit Vehicle Maintenance Schedules 4.3.2

Pspec Generate Technician Work Assignments 4.3.3

Pspec Monitor And Verify Maintenance Activity 4.3.4

Pspec Report Transit Vehicle Information 4.3.5

Pspec Update Transit Vehicle Information 4.3.6

Pspec Manage Transit Vehicle Operations Data Store 4.3.7

DFD Support Security and Coordination 4.4

DFD Provide Transit Security and Emergency Management 4.4.1

Pspec Manage Transit Security 4.4.1.1

Pspec Manage Transit Emergencies 4.4.1.2

Pspec Provide Transit System Operator Security Interface 4.4.1.3

Pspec Provide Transit External Interface for Emergencies 4.4.1.4

Pspec Provide Transit Driver Interface for Emergencies 4.4.1.5

Pspec Collect Transit Vehicle Emergency Information 4.4.1.6

Pspec Monitor Secure Area 4.4.1.7

Pspec Report Traveler Emergencies 4.4.1.8

Pspec Coordinate Multiple Agency Responses to Incidents 4.4.2

Pspec Generate Responses for Incidents 4.4.3

DFD Generate Transit Driver Schedules 4.5

Pspec Assess Transit Driver Performance 4.5.1

Pspec Assess Transit Driver Availability 4.5.2

Pspec Assess Transit Driver Cost Effectiveness 4.5.3

Pspec Assess Transit Driver Eligibility 4.5.4

Pspec Generate Transit Driver Route Assignments 4.5.5

Pspec Update Transit Driver Information 4.5.6

Pspec Report Transit Driver Information 4.5.7

Pspec Provide Transit Driver Information Store Interface 4.5.8

DFD Collect Transit Fares in the Vehicle 4.6

 Pspec Detect Transit User on Vehicle 4.6.1

 Pspec Determine Transit User Needs on Vehicle 4.6.2

 Pspec Determine Transit Fare on Vehicle 4.6.3

 Pspec Manage Transit Fare Billing on Vehicle 4.6.4

 Pspec Provide Transit User Fare Payment Interface on Vehicle 4.6.5

 Pspec Update Transit Vehicle Fare Data 4.6.6

 Pspec Provide Transit Vehicle Passenger Data 4.6.7

 Pspec Manage Transit Vehicle Advanced Payments 4.6.8

DFD Provide Transit User Roadside Facilities 4.7

DFD Provide Transit User Roadside Information 4.7.1

 Pspec Provide Transit User Roadside Data Interface 4.7.1.1

 Pspec Provide Transit User Roadside Vehicle Data Interface 4.7.1.2

DFD Collect Transit Fares at the Roadside 4.7.2

 Pspec Detect Transit User at Roadside 4.7.2.1

 Pspec Determine Transit User Needs at Roadside 4.7.2.2

 Pspec Determine Transit Fare at Roadside 4.7.2.3

 Pspec Manage Transit Fare Billing at Roadside 4.7.2.4

 Pspec Provide Transit User Roadside Fare Interface 4.7.2.5

 Pspec Update Roadside Transit Fare Data 4.7.2.6

 Pspec Provide Transit Roadside Passenger Data 4.7.2.7

DFD Manage Emergency Services 5

DFD Provide Emergency Service Allocation 5.1

 Pspec Identify Emergencies from Inputs 5.1.1

 Pspec Determine Coordinated Response Plan 5.1.2

Pspec Communicate Emergency Status 5.1.3

Pspec Manage Emergency Response 5.1.4

Pspec Manage Emergency Service Allocation Store 5.1.5

Pspec Process Mayday Messages 5.1.6

Pspec Provide Operator Interface for Emergency Data 5.2

DFD Manage Emergency Vehicles 5.3

Pspec Select Response Mode 5.3.1

Pspec Dispatch Vehicle 5.3.2

Pspec Track Vehicle 5.3.3

Pspec Assess Response Status 5.3.4

Pspec Provide Emergency Personnel Interface 5.3.5

Pspec Maintain Vehicle Status 5.3.6

Pspec Provide Emergency Vehicle Route 5.3.7

DFD Provide Law Enforcement Allocation 5.4

Pspec Process TM Detected Violations 5.4.1

Pspec Process Violations for Tolls 5.4.2

Pspec Process Parking Lot Violations 5.4.3

Pspec Process Fare Payment Violations 5.4.4

Pspec Process Vehicle Fare Collection Violations 5.4.5

Pspec Process CV Violations 5.4.6

Pspec Process Roadside Fare Collection Violations 5.4.7

Pspec Update Emergency Display Map Data 5.5

Pspec Manage Emergency Services Data 5.6

DFD Provide Driver and Traveler Services 6

DFD Provide Trip Planning Services 6.1

Pspec Provide Trip Planning Information to Traveler 6.1.1

Pspec Confirm Traveler's Trip Plan 6.1.2

Pspec Manage Multimodal Service Provider Interface 6.1.3

Pspec Provide ISP Operator Interface for Trip Planning Parameters 6.1.4

Pspec Collect Service Requests and Confirmation for Archive 6.1.5

Pspec Manage Traveler Info Archive Data 6.1.6

DFD Provide Information Services 6.2

DFD Provide Advisory and Broadcast Data 6.2.1

Pspec Collect Traffic Data for Advisory Messages 6.2.1.1

Pspec Provide Traffic and Transit Advisory Messages 6.2.1.2

Pspec Collect Transit Data for Advisory Messages 6.2.1.3

Pspec Provide Traffic and Transit Broadcast Messages 6.2.1.4

Pspec Provide ISP Operator Broadcast Parameters Interface 6.2.1.5

Pspec Provide Transit Advisory Data On Vehicle 6.2.1.6

Pspec Prepare and Output In-vehicle Displays 6.2.2

Pspec Provide Transit User Advisory Interface 6.2.3

Pspec Collect Yellow Pages Data 6.2.4

Pspec Provide Driver Interface 6.2.5

Pspec Provide Yellow Pages Data and Reservations 6.2.6

DFD Provide Traveler Services at Kiosks 6.3

Pspec Get Traveler Request 6.3.1

Pspec Inform Traveler 6.3.2

Pspec Provide Traveler Kiosk Interface 6.3.3

Pspec Update Traveler Display Map Data at Kiosk 6.3.4

DFD Manage Ridesharing 6.4

Pspec Screen Rider Requests 6.4.1

Pspec Match Rider and Provider 6.4.2

Pspec Report Ride Match Results to Requestor 6.4.3

Pspec Confirm Traveler Rideshare Request 6.4.4

DFD Manage Yellow Pages Services 6.5

Pspec Collect and Update Traveler Information 6.5.1

Pspec Provide Traveler Yellow Pages Information and Reservations 6.5.2

Pspec Register Yellow Pages Service Providers 6.5.3

DFD Provide Guidance and Trip Planning Services 6.6

Pspec Provide Multimodal Route Selection 6.6.1

DFD Provide Driver Personal Services 6.7

DFD Provide Traveler Personal Services 6.8

DFD Provide On-line Traveler Guidance 6.8.1

DFD Provide Traveler Guidance 6.8.1.1

Pspec Determine Personal Portable Device Guidance Method 6.8.1.1.1

Pspec Provide Personal Portable Device Dynamic Guidance 6.8.1.1.2

Pspec Provide Personal Portable Device Autonomous Guidance 6.8.1.1.3

Pspec Provide Personal Portable Device Guidance Interface 6.8.1.2

Pspec Process Personal Portable Device Location Data 6.8.1.3

Pspec Update Traveler Navigable Map Database 6.8.1.4

Pspec Provide Traveler Emergency Message Interface 6.8.1.5

DFD Provide Traveler Personal Security 6.8.2

Pspec Build Traveler Personal Security Message 6.8.2.1

Pspec Provide Traveler Emergency Communications Function 6.8.2.2

DFD Provide Traveler Services at Personal Devices 6.8.3

Pspec Get Traveler Personal Request 6.8.3.1

Pspec Provide Traveler with Personal Travel Information 6.8.3.2

Pspec Provide Traveler Personal Interface 6.8.3.3

Pspec Update Traveler Personal Display Map Data 6.8.3.4

DFD Provide Electronic Payment Services 7

DFD Provide Electronic Toll Payment (not included in Knoxville) 7.1

DFD Provide Electronic Parking Payment (not included in Knoxville) 7.2

DFD Provide Electronic Fare Collection 7.3

DFD Process Electronic Transit Fare Payment 7.3.1

Pspec Register for Advanced Transit Fare Payment 7.3.1.1

Pspec Determine Advanced Transit Fares 7.3.1.2

Pspec Manage Transit Fare Financial Processing 7.3.1.3

Pspec Check for Advanced Transit Fare Payment 7.3.1.4

Pspec Bill Transit User for Transit Fare 7.3.1.5

Pspec Collect Bad Transit Fare Payment Data 7.3.1.6

Pspec Update Transit Fare Data 7.3.1.7

Pspec Distribute Advanced Tolls and Parking Lot Charges 7.3.2

Pspec Get Transit User Image for Violation 7.3.3

Pspec Provide Remote Terminal Payment Instrument Interface 7.3.4

Pspec Provide Transit Vehicle Payment Instrument Interface 7.3.5

DFD Carry-out Centralized Payments Processing 7.4

DFD Collect Advanced Payments 7.4.1

Pspec Process Yellow Pages Services Provider Payments 7.4.1.2

Pspec Process Driver Map Update Payments 7.4.1.3

Pspec Process Traveler Map Update Payments 7.4.1.4

Pspec Process Transit User Other Services Payments 7.4.1.5

Pspec Process Traveler Trip and Other Services Payments 7.4.1.6

Pspec Collect Payment Transaction Records 7.4.1.7

Pspec Process Traveler Rideshare Payments 7.4.1.8

Pspec Collect Price Data for ITS Use 7.4.2

Pspec Route Traveler Advanced Payments 7.4.3

DFD Manage Archived Data 8

Pspec Get Archive Data 8.1

Pspec Manage Archive 8.2

Pspec Manage Archive Data Administrator Interface 8.3

Pspec Coordinate Archives 8.4

Pspec Process Archived Data User System Requests 8.5

Pspec Analyze Archive 8.6

Pspec Process On Demand Archive Requests 8.7

Pspec Prepare Government Reporting Inputs 8.8

Pspec Manage Roadside Data Collection 8.9

6 Physical Architecture

The *Physical Architecture* partitions the functions defined by the Logical Architecture into *systems*, and at a lower level, *subsystems*, based on the functional similarity of the process specifications and the location where the functions are being performed. A diagram of the physical architecture for Knoxville is attached to this memorandum. The physical architecture defines four systems: *Traveler, Center, Roadside, and Vehicle*, and nineteen subsystems. The specific choice of nineteen subsystems represents a lower level of partitioning of functions that is intended to capture the anticipated subsystem boundaries for the present needs, and 20 years into the future. Subsystems are composed of *equipment packages* each with specific functional attributes. Equipment packages are defined to support analyses and deployment, and they represent the smallest units within a subsystem that might be purchased. In deployments, the character of a subsystem deployment is determined by the specific equipment packages chosen. For example, one municipal deployment of a *Traffic Management Subsystem* may select *Collect Traffic Surveillance* and *Basic Signal Control* equipment packages, while a state Traffic Management Center may select *Collect Traffic Surveillance* and *Freeway Control* packages. In addition, subsystems may be deployed individually or in combinations that will vary by geography and time based upon local deployment choices. A Traffic Management Center may include a *Traffic Management Subsystem, Information Provider Subsystem, and Emergency Management Subsystem*, all within one building, while another Traffic Management Center may concentrate only on the management of traffic with the *Traffic Management Subsystem*. The equipment packages for the chosen subsystems are listed in Section 6.1 below. A tabular summary of interface descriptions can be found in **Appendix C**.

The Knoxville Physical Architecture diagram presents the relevant portions of the National ITS Architecture for the individual subsystems. The diagrams include only the architecture subsystems, equipment packages, system terminators, and architecture flows that are most important to the operation of the subsystem in order to simplify the presentation. For deployment of equipment packages of the subsystems, the National ITS Architecture has developed market packages. The market packages provide an accessible, deployment oriented perspective to the national architecture. They are tailored to fit - separately or in combination -

real world transportation problems and needs. Market packages collect together one or more Equipment Packages that must work together to deliver a given transportation service and the Architecture Flows that connect them and other important external systems. In other words, they identify the pieces of the Physical Architecture that are required to implement a particular transportation service. The market package graphics for Knoxville are included in the Appendix. For a complete list of all market components, reference the architecture tables or the Microsoft Access database provided on the National ITS Architecture documentation.

In developing the Knoxville regional architecture, each jurisdiction was shown with subsystems and equipment packages that either are existing or could possibly be implemented in the future. This was based on inputs from the Stakeholders of the region.

The Knoxville region is a large geographical area with diverse transportation interests from one side of the region to the other. The Knoxville Physical Architecture is a formulation that provides flexibility for sub-area implementations that meet local demands while maintaining the integrity of a regional information system. This modular approach provides groupings of relevant user agencies shown in the Physical Architecture. These groupings are defined based upon agencies and users with similar transportation information needs and interests. Sevier County may put more emphasis on tourism-related services, while the Oak Ridge region may be more concerned about evacuation notification during a nuclear reactor incident. The Knoxville Physical Architecture provides a platform for sub-regional customization and implementations that can be pursued independent of integration with other sub-regions.

6.1 Subsystems and Equipment Packages

A discussion of the function of each subsystem and the associated equipment packages are provided on the following pages. Subsystems and equipment packages that were not included in Knoxville are noted. They are left within the document for reader convenience.

6.1.1 Center Subsystems

Center Subsystems deal with those functions normally assigned to public/private administrative, management, or planning agencies. The nine Center Subsystems are described below:

6.1.2 *Commercial Vehicle Administration (not included in Knoxville)* - Sells credentials and administers taxes, keeps records of safety and credential check data, and participates in information exchange with other commercial vehicle administration subsystems and CVO Information Requesters.

Fleet and Freight Management (not included in Knoxville) - Monitors and coordinates vehicle fleets including coordination with intermodal freight depots or shippers.

Toll Administration (not included in Knoxville) - Provides general payment administration capabilities to support electronic assessment of tolls and other transportation usage fees.

Transit Management - Collects operational data from transit vehicles and performs strategic and tactical planning for drivers and vehicles. Transit Management has the following Equipment Packages for Knoxville.

- Transit Center Tracking and Dispatch
- Transit Center Information Services
- Transit Center Fixed-Route Operations
- Transit Garage Operations
- Transit Center Paratransit Operations
- Transit Center Fare and Load Management
- Transit Center Multi-Modal Coordination

- Transit Center Security
- Transit Data Collection
- Transit Garage Maintenance

Emergency Management - Coordinates response to incidents, including those involving hazardous materials (HAZMAT). Emergency Management has the following Equipment Packages for Knoxville.

- Emergency Call-Taking
- Emergency Data Collection
- Emergency Dispatch
- Emergency Response Management
- Mayday Support (not used in Knoxville)

Emissions Management - Collects and processes pollution data and provides demand management input to Traffic Management. Emissions Management has the following Equipment Packages for Knoxville.

- Emissions Data Collection
- Emissions Data Management

Archived Data Management - Collects, archives, manages, and distributes data generated from ITS sources for use in transportation administration, policy evaluation, safety, planning, performance monitoring, program assessment, operations, and research applications. Archived Data Management has the following Equipment Packages for Knoxville.

- Government Reporting Systems Support

- ITS Data Repository
- On-Line Analysis and Mining
- Traffic and Roadside Data Archival
- Virtual Data Warehouse Services (not used in Knoxville)

Traffic Management - Processes traffic data and provides basic traffic and incident management services through the Roadside and other subsystems. The Traffic Management Subsystem may share traffic data with Information Service Providers. Different equipment packages provide a focus on surface streets or highways (freeways and interstates) or both. This subsystem also coordinates transit signal priority and emergency vehicle signal preemption. Traffic Management has the following Equipment Packages for Knoxville.

- Collect Traffic Surveillance
- Highway-Rail Intersections (HRI) Traffic Management
- Rail Operations Coordination
- TMC for Automated Highway Systems (AHS) (not used in Knoxville)
- TMC Freeway Management
- TMC High Occupancy Vehicle (HOV) Lane Management (not used in Knoxville)
- TMC Incident Detection
- TMC Incident Dispatch Coordination/Communication
- TMC Input to In-Vehicle Signing (not used in Knoxville)
- TMC Multi-Modal Coordination

- TMC Probe Information Collection (not used in Knoxville)
- TMC Regional Traffic Control
- TMC Road Weather Monitoring
- TMC Signal Control
- TMC Toll/Parking Coordination
- TMC Traffic Information Dissemination
- TMC Traffic Network Performance Evaluation
- Traffic Data Collection
- Traffic Maintenance

Information Service Provider (ISP)- This subsystem may be deployed alone (to generally serve drivers and/or travelers) or be combined with Transit Management (to specifically benefit transit travelers), Traffic Management (to specifically benefit drivers and their passengers), Emergency Management (for emergency vehicle routing), Parking Management (for brokering parking reservations), and/or Commercial Vehicle Administration (for commercial vehicle routing) deployments. ISP's can collect and process transportation data from the aforementioned centers, and broadcast general information products (e.g., link times), or deliver personalized information products (e.g., personalized or optimized routing) in response to individual information requests. Because the ISP may know where certain vehicles are, it may use them as "probes" to help determine highway conditions, levels of congestion, and aid in the determination of travel or link times. This probe data may be shared with the Traffic Management Subsystem. The ISP is a key element of pre-trip travel information, infrastructure based route guidance, brokering demand-responsive transit and ridematching, and other traveler information services.

Information Service Providers has the following Equipment Packages for Knoxville.

- Basic Information Broadcast
- Infrastructure Provided Dynamic Ridesharing (not used in Knoxville)
- Infrastructure Provided Route Selection (not used in Knoxville)
- Infrastructure Provided Yellow Pages & Reservation
- Interactive Infrastructure Information (not used in Knoxville)
- Information Service Provider (ISP) Advanced Integrated Control Support (not used in Knoxville)
- ISP Data Collection
- ISP Probe Information Collection (not used in Knoxville)

6.1.3 Roadside Subsystems

These subsystems include functions that require convenient access to a roadside location for the deployment of sensors, signals, programmable signs, or other interfaces with travelers and vehicles of all types. The four Roadside Subsystems are described below:

Roadway - Provides traffic management surveillance, signals, and signage for traveler information. This subsystem also includes the devices at roadway intersections and multi-modal intersections to control traffic.

- Advanced Rail Crossing
- Automated Road Signing (not used in Knoxville)
- Roadside Data Collection
- Roadside Signal Priority

- Roadway Basic Surveillance
- Roadway Emissions Monitoring
- Roadway Environmental Monitoring
- Roadway Freeway Control
- TMC HOV Lane Management (not used in Knoxville)
- Roadway HOV Control (not used in Knoxville)
- Roadway In-Vehicle Signing (not used in Knoxville)
- Roadway Incident Detection
- Roadway Intersection Collision Warning (not used in Knoxville)
- Roadway Probe Beacons (not used in Knoxville)
- Roadway Reversible Lanes (not used in Knoxville)
- Roadway Signal Controls
- Roadway Systems for AHS (not used in Knoxville)
- Roadway Traffic Information Dissemination
- Standard Rail Crossing

Toll Collection (not included in Knoxville) - Interacts with vehicle toll tags to collect tolls and identify violators.

Parking Management - Collects parking fees and manages parking lot occupancy/availability.

- Parking Coordination

- Parking Data Collection
- Parking Electronic Payment (not used in Knoxville)
- Parking Management
- Parking Surveillance

Commercial Vehicle Check (not included in Knoxville) - Collects credential and safety data from vehicle tags, determines conformance to requirements, posts results to the driver (and in some safety exception cases, the carrier), and records the results for the Commercial Vehicle Administration Subsystem.

6.1.4 Vehicle Subsystems

These subsystems are installed in a vehicle. The four Vehicle Subsystems are described below:

Vehicle (not included in Knoxville) - Functions that may be common across all vehicle types are located here (e.g. navigation, tolls, etc.) so that specific vehicle deployments may include aggregations of this subsystem with one of the other three specialized vehicle subsystem types. The Vehicle Subsystem includes the user services of the Advanced Vehicle Control and Safety Systems user services bundle.

Transit Vehicle - Provides operational data to the Transit Management Center, receives transit network status, provides enroute traveler information to travelers, and provides passenger and driver security functions.

- On-board Fixed Route Schedule Management
- On-board Maintenance
- On-board Paratransit Operations
- On-board Transit Fare and Load Management

- On-board Transit Information Services
- On-board Transit Security
- On-board Transit Signal Priority
- On-board Transit Trip Monitoring

Commercial Vehicle(not included in Knoxville) - Stores safety data, identification numbers (driver, vehicle, and carrier), last check event data, and supports in-vehicle signage for driver pass/pull-in messages.

Emergency Vehicle (EV) - Provides vehicle and incident status to the Emergency Management Subsystem.

- On-board EV En Route Support
- On-board EV Incident Management Communication

6.1.5 Traveler Subsystems

These subsystems represent platforms for ITS functions of interest to travelers or carriers (e.g., commercial vehicle operators) in support of multimodal traveling. They may be fixed (e.g., kiosks or home/office computers) or portable (e.g., a palm-top computer), and may be accessed by the public (e.g., through kiosks) or by individuals (e.g., through cellular phones or personal computers). The two Traveler Subsystems are described below:

Remote Traveler Support - Provides traveler information at public kiosks. This subsystem includes traveler security functions.

- Remote Basic Information Reception
- Remote Interactive Information Reception
- Remote Mayday Interface (not used in Knoxville)

- Remote Transit Fare Management (not used in Knoxville)
- Remote Transit Information Services
- Secure Area Monitoring (not used in Knoxville)

Personal Information Access - Provides traveler information and supports emergency requests for travelers using personal computers/telecommunication equipment at the home, office, or while on travel.

- Personal Autonomous Route Guidance (not used in Knoxville)
- Personal Basic Information Reception
- Personal Interactive Information Reception
- Personal Location Determination (not used in Knoxville)
- Personal Mayday Interface (not used in Knoxville)
- Personal Provider-Based Route Guidance (not used in Knoxville)

7 Inter-agency Communication Interfaces

Inter-agency interfaces can be accomplished over the public switched telephone network (i.e. Bell South) or via a private communication system that is owned and operated by public agencies. A private communications system would provide network redundancy and priority during emergency situations. For many interfaces, it may be necessary to establish the interface on the publicly switched network initially, and migrate to the private network as it becomes available.

Bandwidth requirements for an interface will vary depending on requirements of the agency. Interfaces may include the ability to transmit video (one way or both ways), data, and/or voice. Desired quality, intended use, and number of videos transmitted at the same time are important factors to consider when sizing an interface. **Table 7.1** summarizes ultimate agency interface requirements and associated bandwidth needs.

Inter-agency capability to control each other’s cameras, while technically feasible over the proposed communications, requires more security and software to manage user priorities. If camera controls are needed or desired, Internet-based screen captures provide an effective alternative.

Video conference circuits are shown for interconnecting the Knoxville TMC with the TDOT Nashville Headquarters. These circuits provide access to video/camera feeds as well as the ability to videoconference with operation center staff. Likewise, this video conference circuit can be used to access TDOT’s other regional TMCs in a similar fashion.

Table 7.1 – Bandwidth Needs for Agency Interfaces

Agency Interface Description	Bandwidth Requirement
Knoxville Area Transit (KAT) dispatch center <ul style="list-style-type: none"> ▪ Two video images (1.536Mbps each) ▪ One data channel (56kbps) ▪ One voice channel (64kbps) 	3.192 Mbps (Two T1s and two telephone circuits (DS0s))
Tennessee Emergency Management Agency (TEMA) <ul style="list-style-type: none"> ▪ One data channel (56kbps) 	120 kbps (Two telephone

<ul style="list-style-type: none"> ▪ One voice channel (64kbps) 	circuits (DS0s))
<p>Knox County/Knoxville/Farragut sub-region</p> <ul style="list-style-type: none"> ▪ Two video images (1.536Mbps each) ▪ One data channel (56kbps) ▪ One voice channel (64kbps) 	3.192 Mbps (Two T1s and two telephone circuits (DS0s))
<p>Oak Ridge/Rockwood/Roane County sub-region</p> <ul style="list-style-type: none"> ▪ Two video images (1.536Mbps each) ▪ One data channel (56kbps) ▪ One voice channel (64kbps) 	3.192 Mbps (Two T1s and two telephone circuits (DS0s))
<p>Blount County/Alcoa/Maryville sub-region</p> <ul style="list-style-type: none"> ▪ Two video images (1.536Mbps each) ▪ One data channel (56kbps) ▪ One voice channel (64kbps) 	3.192 Mbps (Two T1s and two telephone circuits (DS0s))
<p>Sevier County/Pigeon Forge/Sevierville/Gatlinburg sub-region</p> <ul style="list-style-type: none"> ▪ One data channel (56kbps) ▪ One voice channel (64kbps) 	120 kbps (Two telephone circuits (DS0s))
Internet (1.536Mbps)	1.536 Mbps (One T1)
Kiosks (56kbps each) on an ISDN circuit for quick updates	256 kbps (Two ISDN lines to serve multiple kiosks)
TV/Radio information links (approx. 15 at 56kbps dial-up)	840 kbps (Fractional T1)
<p>TDOT Nashville Headquarters</p> <ul style="list-style-type: none"> ▪ Two data channels (56kbps each) ▪ One video conference circuit (128kbps) 	240 kbps (Two ISDN lines or equivalent)

8 ITS Standards

ITS Standards are fundamental to the establishment of an open ITS environment that achieves the goals originally envisioned by the U.S. Department of Transportation. Standards facilitate deployment of interoperable systems at local, regional, and national levels without impeding innovation as technology advances and new approaches evolve.

The U.S. Department of Transportation's ITS Joint Program Office is supporting SDO's (Standards Development Organizations) with an extensive, multi-year program of accelerated standards development to facilitate successful ITS deployment. The program is supporting and accelerating the ITS consensus-based volunteer standards processes that are underway in the U.S.

The National ITS Architecture is a reference framework that spans all of these standards activities and provides a means of detecting gaps, overlaps, and inconsistencies between the standards. Standards Requirements, based on the Logical and Physical Architecture, provide a requirements starting point for the standards activities and a tool for measuring their output. Standards Requirements have been allocated to standards development activities in the following organizations:

- AASHTO (American Association of State Highway and Transportation Officials)
- ANSI (American National Standards Institute)
- ASTM (American Society for Testing and Materials)
- IEEE (Institute of Electrical and Electronics Engineers)
- ITE (Institute of Transportation Engineers)
- NEMA (National Electrical Manufacturers Association)
- SAE (Society of Automotive Engineers)

Although each standards activity is allocated to a single Standards Development Organization (SDO) in this mapping, it should be noted that many of the standards efforts are collaborative between multiple SDOs (e.g., NTCIP Joint Steering Committee is comprised of representatives from AASHTO, ITE and NEMA).

There are several excellent resources on the World Wide Web for those who want to learn more about ITS standards. The ITS America Standards Home Page provides access to standards information relating to all aspects of ITS. It also contains links to the organizations involved and, where possible, provides rapid access to published standards documents. The U.S. DOT Joint Program Office Standards site provides current status on the standards acceleration program.

These general sources are supplemented by sites that provide additional detail for a particular standards area. There is also a web site that focuses on the National Transportation Communications for ITS Protocol (NTCIP) standards family. The table below provides links to SDO home pages (e.g., IEEE) as well as specific ITS Standards efforts (e.g., TCIP). Other SDOs of interest include EIA, ISO, NEMA, and NIST.

Standard Development Organizations (SDO) Home Page	ITS Standards Specific Sites
AASHTO	<ul style="list-style-type: none"> • NTCIP Web Site
ANSI	<ul style="list-style-type: none"> • CVO Standards
ASTM	<ul style="list-style-type: none"> • DSRC Links
IEEE	<ul style="list-style-type: none"> • Standards Coordinating Committee on ITS
ITE	<ul style="list-style-type: none"> • Traffic Management Data Dictionary and Message Sets for External Traffic Management Center Communications • TCIP
SAE	<ul style="list-style-type: none"> • ITS Standards Index

A stated goal for ITS standards is to promote regional and national interoperability. Regional interoperability essentially equates to having regional transportation management centers being able to work together via computer to computer communications. National interoperability is basically the ability to exchange and share information freely across geographic and jurisdictional boundaries. However, while it is critical for those ITS systems that interface and with many users and multiple other subsystems to be standardized for national interoperability, it is really only the communication interfaces that must be standardized. Examples of multiple-user systems that span the country include traveler information systems and vehicle to infrastructure communications (commercial vehicles being the prime example of this).

Standards development within the ITS arena, is a rapidly evolving situation. The rulemaking process is by design, inclusive and thorough, causing standards adoption to be as long as 12-18 months. Many ITS standards are not yet defined or adopted. The Knoxville Regional ITS Architecture should be deployed in consideration of known and emerging technical standards including but not limited to the following:

Organization	ITS Standards
AASHTO	<ul style="list-style-type: none"> • NTCIP Web Site
ANSI	<ul style="list-style-type: none"> • Commercial Vehicle Credentials (TS 286) • Commercial Vehicle Safety and Credentials Information Exchange (TS 286) • Commercial Vehicle Safety Reports (TS284)
ASTM	<ul style="list-style-type: none"> • Standard Specification on Dedicated Short Range Communications (DSRC) Data Link Layer • Standard Specification on Dedicated Short Range Communications (DSRC) Physical Layer
EIA	<ul style="list-style-type: none"> • High Speed FM Subcarrier Waveform Standard
IEEE	<ul style="list-style-type: none"> • Message Sets for DSRC, ETTM, CVO (P1455) • Standards for Common Incident Management Message Sets (IMMS) for

	<p>use by Emergency Management Centers (P1512)</p> <ul style="list-style-type: none"> • Standards for Data Dictionaries for Intelligent Transportation Systems (P1489) • Standard Message Set Template for ITS (P1488)
ITE	<ul style="list-style-type: none"> • Standard for Functional Level Traffic Management Data Dictionary • Message Sets for External TMC Communication
NTCIP	<ul style="list-style-type: none"> • Base Standard: Octet Encoding Rules (1102) • CORBA Naming Convention (1104) • CORBA Security Service (1105) • CORBA Near-Real Time Data Service (1106) • Message Set for Weather Reports (1301) • TCIP – Framework Document (1400) • Common Public Transportation (CPT) Business Area Standard (1401) • Incident Management (IM) Business Area Standard (1402) • Passenger Information (PI) Business Area Standard (1403) • Spatial Representation (SP) Business Area Standard (1405) • Onboard (OB) Business Area Standard (1406) • Control Center (CC) Business Area Standard (1407) • Subnet Profile for Ethernet (2104) • Internet (TCP/IP and UDP/IP) Transport Profile (2201) • Application Profile for File Transfer Protocol (FTP) • Application Profile for Data Exchange ASN.1 (DATEX) (2304) • Application Profile for CORBA (2305) • Information Profile for DATEX (2501)

	<ul style="list-style-type: none"> • Information Profile for CORBA (2502) • Profiles – Framework and Classification of Profiles (8003)
SAE	<ul style="list-style-type: none"> • ATIS Data Dictionary (J2353) • ATIS Message Set (J2354) • Information Service Provider – Vehicle Location Referencing Standard (J1746) • On-Board Land Vehicle Mayday Reporting Interface (J2313) • Standards for ATIS Message Sets Delivered over Bandwidth Restricted Media (J2369) • Messages for Handling Strings and Look-up Tables in ATIS Standards (J2540) • National Location Referencing Information Report (J2374)

9 Regional Stakeholders

Listed below are the regional stakeholders for the Knoxville region.

Regional Stakeholders	
Anderson County	Federal Highway Administration
Community Action Committee (CAC)	Jefferson County
City of Alcoa	Knox County
City of Gatlinburg	Knoxville Area Transit
City of Knoxville	Roane County
City of Maryville	Metropolitan Planning Commission
City of Oak Ridge	National Park Service
City of Pigeon Forge	Sevier County
City of Rockwood	Tennessee Dept of Transportation
City of Sevierville	Tennessee Highway Patrol
East Tennessee Human Resources Agency (ETHRA)	Town of Farragut

9.1 Interagency Agreements

In order to implement an integrated ITS system, agreements must be reached between involved parties to ensure that respective roles and responsibilities are clearly understood and that a full commitment of all involved has been made. As an example, a formal agreement would be needed for data and video to be shared between the regional transportation management center (RTMC) and a local traffic operations center (TOC).

Deployment of ITS in a region involves coordination among various agencies at many different levels. The key purpose of ITS is to be responsive to traffic and incident conditions without regard to jurisdictional boundaries. Providing an ITS system that is seamless to the traveling public becomes more challenging when it is deployed and operated through decentralized functions and responsibilities. Formally defining roles and responsibilities can help eliminate battles over turf, delays in deployment, and duplication of work caused by unresolved issues.

The recommended approach for the Knoxville region involves a decentralized implementation of equipment packages. Individual agencies will implement their own ITS projects that must integrate into the overall system. With each agency developing individual systems, reaching prior agreements on interface points between systems is important. This consideration is critical to achieving effective communications between the RTMC and local TOCs, as well as establishing procedures and protocols for coordinated operations.

The regional stakeholders represent a relatively large group of agencies, although it is certainly not an unwieldy number. As noted earlier in this document, the Physical Architecture provides a platform for sub-regional tailoring of ITS subsystems to fit the local needs. The sub-regions are as follows:

- Sub-Regional Area 1 (Knox County, Town of Farragut, City of Knoxville)
- Sub-Regional Area 2 (City of Rockwood, City of Oak Ridge, Roane County, Anderson County)
- Sub-Regional Area 3 (City of Pigeon Forge, City of Gatlinburg, City of Sevierville, Jefferson County, Sevier County)
- Sub-Regional Area 4 (City of Maryville, City of Alcoa, Blount County)

This geographical orientation to the Regional ITS Architecture helps to organize the agreements that need to be developed and provides effective management of the ITS architecture deployment. The Knoxville metropolitan area and surrounding areas are served by transit, transportation, and police, fire and rescue agencies. The relationship between these agencies and TDOT will vary, and some will have more rigorous requirements than others. Nonetheless, formal agreements would be beneficial for all in affording access to real time traffic information. Considering the agencies within the Knoxville region, the following agreements should be developed at a minimum:

- MOU between each of the agencies in each Sub-Regional Area
- MOU between each of the agencies and TDOT
- MOU between each of the agencies in Sub-Regional Area 1 and National Park Service
- MOU between the National Park Service and TDOT
- MOU between TDOT and Knoxville Area Transit, CAC and ETHRA
- MOU between TDOT and THP and E-911 dispatch centers

To achieve the overall vision of the Knoxville Regional ITS Architecture, the stakeholders will need to gain agreement as to the operational guidelines and inter-working relationships. Such agreement is expected to take the form of memoranda of understandings (MOU's) between the various agencies. It is recommended to develop the MOUs as multiple written agreements instead of one single agreement to afford flexibility as systems and operations evolve. The following list provides example issues to include in MOUs:

- ◆ Ownership of transportation data
- ◆ Ability/Authorization to distribute transportation data
- ◆ Camera control authorization and priority

- ◆ Incident responsibility for police, fire and rescue, and TDOT staff
- ◆ How and when incident notification will occur, and to whom
- ◆ When traffic can be diverted to other jurisdictions' roadways
- ◆ Acceptable/Un-acceptable uses of distributed video
- ◆ Field equipment ownership
- ◆ Control center roles
- ◆ Data links between centers
- ◆ Special event coordination plans
- ◆ Special incident management plans including HAZMAT spills
- ◆ On site coordination (incident manager, call for tow trucks, etc.)
- ◆ Roles and limits for service patrols
- ◆ Joint statement of support for the ITS system
- ◆ Operation of motorist information systems including dynamic message signs and highway advisory radio
- ◆ Coordination of system upgrades including advanced notification guidelines (e.g. software and hardware)
- ◆ Funding of capital and/or operational costs
- ◆ Maintenance responsibilities
- ◆ Staffing
- ◆ Administration and management (i.e. oversight committee)

Before an ITS project is authorized by FHWA, there should be a formal review process to consider whether any interagency agreements will be beneficial in achieving integrated ITS systems. The format and the nature of the agreements will depend on the significance of the interaction between agencies that is required by the project. Interagency agreements, when deemed necessary, will be included in **Appendix A** of the Knoxville Regional ITS Architecture and will be kept current in between architecture updates. **Appendix A** will also provide information to monitor agreements as they are developed, and to provide sample agreements for development of new inter-agency agreements.

9.2 *Regional ITS Architecture Maintenance*

An additional responsibility of all stakeholders will be periodic updating of the Knoxville Regional ITS architecture. As ITS deployment occurs, the local knowledge and experience gained, advances in technology and the availability of better cost data will influence the most cost-effective way to address traffic and safety concerns in the Knoxville region.

Responsibility for maintaining the regional ITS architecture has been accepted by the MPO with the assistance from TDOT. The maintaining and updating process will be facilitated by the MPO, but will require involvement of all ITS stakeholders in the process.

The ITS Regional Architecture will be formally updated just prior to the update of the Long Range Transportation Plan, now every three years. Between formal updates, new ITS project descriptions and proposed updates to the regional ITS architecture will be inserted into a Regional ITS Architecture appendix (**Appendix B**). These incremental updates will be made available to other ITS stakeholders to keep them informed about what ITS projects are being planned and deployed. If all stakeholders are aware of projects that are underway, integration opportunities can be identified and potentially reduce any duplicate development costs.

10 Implementation Programming

The Regional ITS Architecture is conceived in such a way as to allow for modular deployment that doesn't require a singular critical path. TDOT can move ahead with plans and construction of multiple phases of the freeway traffic management system independent of the actions of other local agencies. Each local agency can also pursue its own plan for design, deployment and operation of ITS components independent of the actions of others.

However, to achieve overall integration of traffic management efforts among the stakeholder agencies, development of the archived data warehouse(s) is necessary. A Regional Archived Data Management function is at the heart of regional coordination. Similarly, there are also sub-area archived data warehouses. These warehouses become the hubs around which the traffic management efforts revolve. Development of the data warehouses should begin with the regional warehouse first, followed by the sub-area warehouses, as needs dictate.

Scheduling development and deployment of the archive data warehouses can be predicated on the desires of the local agencies to move forward with integrated traffic management activities. However, it is logical to think that the regional warehouse should not be developed until after TDOT has completed the deployment of the first phase of the freeway system. This will provide a source of information for the regional data warehouse to operate upon.

APPENDIX A

**Additional ITS Project Descriptions &
Regional ITS Architecture Revisions**

APPENDIX B
Interagency Agreements

As mentioned in Section 9 of the regional architecture, this appendix will contain interagency agreements as they are developed. The format and nature of the agreements will depend upon the significance of the interaction between the involved agencies.

Any agreements (existing or new) required for operations, including at a minimum those affecting ITS project interoperability, utilization of ITS related standards, and the operation of the projects identified in the regional ITS architecture are required in FHWA Rule 940.9(d)4 and FTA National ITS Architecture Policy Section 5.d.4 (*FHWA National ITS Architecture Team, USDOT, FHWA, and FTA, "Regional ITS Architecture Guidance."* Washington, DC. 2001).

APPENDIX C

Physical Architecture Interface Tables

As mentioned in Section 6 of the regional architecture, this appendix contains the physical architecture interface tables summarized by agency. The tables list each of the data flows included in the Knoxville Regional physical architecture and describes the interfaces that will occur at the initiating and receiving ends of each data flow. The interface is described by frequency of information exchange and the requirements for a standard protocol for exchanging data.

Some messages and communications will use recommended NTCIP standards, while others may utilize basic communication media such as telephones, facsimile, pagers, the Internet, or television/radio broadcast methods. The latter do not rely upon transportation-related protocols.

In general, when a standard is required it generally signifies that real-time control is involved, and in some cases real-time information delivery can be an issue of life safety. A recommended standard indicates that data is passed between agencies and those receiving the data should have a common base for understanding its meaning. Standards listed as optional relinquish the decision to those establishing the architecture flow. Communication may be easier with the local standard, but it is not necessarily in real-time. If no protocol category is given, then no standard currently exists or is not applicable.

There are three categories of frequency of data exchange used in the following descriptions:

- System command/control: Information transfer is between a terminator and a subsystem.
- Daily periodic in real time: Information transfer occurs regularly in real time.
- Daily periodic in non-real time: Information transfer occurs regularly but not necessarily immediately.

Knoxville Regional RTMC Interface Descriptions				
TDOT Freeway Management System				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Freeway Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Roadway Information System Status	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Freeway Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor and Surveillance Control	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Roadway Information System Data	System Command Control	NTCIP Recommended
Traffic Management	TEMA	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	TEMA	Emergency Traffic Control Response	System Command Control	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
TDOT Freeway Management System				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	TEMA	Resource Deployment State	System Command Control	Local Standard Recommended
Traffic Management	Regional Archived Data Management	Archive Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Knoxville Transit Management	Traffic Information for Transit	System Command Control	Local Standard Recommended
Traffic Management	National Park Service Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	National Park Service Traffic Management	Traffic Information Coordination	System Command Control	Local Standard Recommended
Traffic Management	National Park Service Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	City / County Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	NTCIP Recommended
Traffic Management	City / County Traffic Management	Traffic Information Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	City / County Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
TDOT Freeway Management System				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
City / County Traffic Management	Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	NTCIP Recommended
City / County Traffic Management	Traffic Management	Traffic Information Coordination	Daily Periodic in Real Time	Local Standard Recommended
City / County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Transit Management	Traffic Information for Transit	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Traffic Management	Transit Traveler Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Traffic Management	Transit Multimodal Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Traffic Management	Transit Schedule Information	Daily Periodic in Real Time	Local Standard Recommended
TEMA	Traffic Management	Resource Request	System Command Control	NTCIP Recommended
TEMA	Traffic Management	Remote Surveillance Control	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
TDOT Freeway Management System				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
TEMA	Traffic Management	Emergency Traffic Control Request	System Command Control	NTCIP Recommended
TEMA	Regional Information Service Provider	Incident Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Knoxville Area Transit, CAC, ETHRA				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Transit Management	TDOT FMS Traffic Management	Transit Traveler Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	TDOT FMS Traffic Management	Transit Multimodal Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	TDOT FMS Traffic Management	Transit Schedule Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Regional Archived Data Management	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Information Service Provider	Personal Transit Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Information Service Provider	Transit and Fare Schedules	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Information Service Provider	Demand Responsive Transit Plan	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Regional Information Service Provider	Transit Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Knoxville Area Transit, CAC, ETHRA				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Transit Management	Transit Vehicle	Driver Instructions	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Transit Vehicle	Bad Tag List	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Transit Vehicle	Emergency Acknowledge	System Command Control	Local Standard Recommended
Transit Vehicle	Transit Management	Transit Vehicle Location Data	System Command Control	NTCIP Recommended
Transit Vehicle	Transit Management	Transit Vehicle Schedule Performance	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Transit Management	Transit Vehicle Passenger and use data	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Transit Management	Fare and Payment Status	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Transit Management	Emergency Notification	Daily Periodic in Real Time	NTCIP Recommended
Information Service Provider	Transit Management	Transit Information Request	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Knoxville Area Transit, CAC, ETHRA				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Information Service Provider	Transit Management	Selected Routes	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Transit Management	Demand Responsive Transit Request	Daily Periodic in Real Time	Local Standard Recommended
TDOT FMS Traffic Management	Transit Management	Traffic Information for Transit	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Transit Management	Transit Management	Traffic Information for Transit	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Transit Driver	Route Assignment	Daily Periodic in Real Time	Local Standard Recommended
Transit Driver	Transit Vehicle	Transit Driver Availability	Daily Periodic in Real Time	Local Standard Recommended
Vehicle	Transit Vehicle	Vehicle Location	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Oak Ridge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Current Network Conditions	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Local Emergency Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City / County Emergency Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Oak Ridge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Local Traffic Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City / County Traffic Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City of Oak Ridge Archived Data Warehouse	Local Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
City of Oak Ridge Archived Data Warehouse	City / County Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Oak Ridge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	City of Oak Ridge Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
City Of Oak Ridge Traffic Management	City / County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Oak Ridge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
City Of Oak Ridge Traffic Management	City / County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City Of Oak Ridge Traffic Management	City / County Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
City / County Traffic Management	City Of Oak Ridge Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City / County Traffic Management	City Of Oak Ridge Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City / County Traffic Management	City Of Oak Ridge Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Rockwood				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Rockwood				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City of Oak Ridge Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Rockwood				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	City of Oak Ridge Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Rockwood				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roane County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Roane County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Roane County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Roane County Traffic Management	Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Roane County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Roane County Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Roane County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Roane County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Emergency Management	City of Oak Ridge Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Traffic Management	Traffic Information Coordination	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Anderson County Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Anderson County Traffic Management	Traffic Information Coordination	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Anderson County Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City of Oak Ridge Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Roane County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Roane County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Emergency Vehicle	City of Oak Ridge Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Rockwood County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Rockwood County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Roane County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Rockwood County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Rockwood County Traffic Management	Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Rockwood County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Rockwood County Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Anderson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	TEMA Regional Emergency Management	Incident Response	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Anderson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Emergency Management	TEMA Regional Emergency Management	Coordination	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	TEMA Regional Emergency Management	Incident Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	City of Oak Ridge Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City of Oak Ridge Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Anderson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	City of Oak Ridge Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Anderson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City Of Oak Ridge Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roane County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Roane County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Roane County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	City of Oak Ridge Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Oak Ridge Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Anderson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	City of Oak Ridge Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Roane County Traffic Management	Traffic Management	Traffic Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Roane County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Roane County Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Knoxville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Vehicle	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Vehicle	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Vehicle	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Personal Information Access	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
City Of Knoxville Traffic Management	City / County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City Of Knoxville Traffic Management	City / County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City Of Knoxville Traffic Management	City / County Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Knoxville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Personal Information Access	Traffic Management	Request for Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Parking Management	Traffic Management	Parking Availability	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Parking Management	Parking Demand Management Request	Daily Periodic in Real Time	Local Standard Recommended
Local Emergency Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Archived Data Warehouse	Local Emergency Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Local Traffic Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Archived Data Warehouse	Local Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Archived Data Warehouse	Traveler Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Knoxville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Archived Data Warehouse	Information Service Provider	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Parking Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Parking Management	Information Service Provider	Parking Information	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Airport	Broadcast Information	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Local Emergency Management	Weather Service Information	Daily Periodic in Real Time	Local Standard Recommended
Local Emergency Management	Archived Data Warehouse	Weather Service Information	Daily Periodic in Real Time	Local Standard Recommended
Local Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Knoxville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Knoxville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Roadway	Incident Response	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Roadway	Coordination	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	City of Oak Ridge Roadway	Incident Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Town of Farragut				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	City of Knoxville Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions					
Town of Farragut					
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow		Exchange Frequency	Protocol Categories
City of Knoxville Archived Data Warehouse	Traffic Management	Archive Data Requests			
Traffic Management	Construction and Maintenance	Maintenance Resource Request		Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination		Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data		System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control		Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control		Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow		System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status		System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way		System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Town of Farragut				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	City of Knoxville Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
City Of Knoxville Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City Of Knoxville Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City Of Knoxville Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Town of Farragut				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	City Of Knoxville Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City Of Knoxville Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	City Of Knoxville Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	Town of Farragut Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Town of Farragut Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Town of Farragut Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Town of Farragut Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Town of Farragut Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Town of Farragut Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Town of Farragut				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Town of Farragut Emergency Management	Knox County Emergency Management	Incident Response Coordination	Daily Periodic in Real Time	Local Standard Recommended
Town of Farragut Emergency Management	Knox County Emergency Management	Incident Report	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Knox County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	City of Knoxville Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions					
Knox County					
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow		Exchange Frequency	Protocol Categories
City of Knoxville Archived Data Warehouse	Traffic Management	Archive Data Requests			
Traffic Management	Construction and Maintenance	Maintenance Resource Request		Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination		Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data		System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control		Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control		Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow		System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status		System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way		System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Knox County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	City of Knoxville Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Weather Service	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
City Of Knoxville Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City Of Knoxville Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City Of Knoxville Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Knox County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	City Of Knoxville Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City Of Knoxville Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	City Of Knoxville Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	Town of Farragut Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Town of Farragut Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Town of Farragut Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Town of Farragut Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Town of Farragut Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Town of Farragut Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Knox County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Town of Farragut Emergency Management	Knox County Emergency Management	Incident Response Coordination	Daily Periodic in Real Time	Local Standard Recommended
Town of Farragut Emergency Management	Knox County Emergency Management	Incident Report	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Blount County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Vehicle	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Vehicle	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Personal Information Access	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Blount County Traffic Management	City Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	City Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	City Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Blount County Traffic Management	National Park Service Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Blount County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Blount County Traffic Management	National Park Service Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	National Park Service Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
National Park Service Traffic Management	Blount County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
National Park Service Traffic Management	Blount County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
National Park Service Traffic Management	Blount County Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Personal Information Access	Traffic Management	Request for Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Local Emergency Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Archived Data Warehouse	Local Emergency Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Blount County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Local Traffic Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Archived Data Warehouse	Local Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Blount County Traffic Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Archived Data Warehouse	Blount County Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Archived Data Warehouse	Traveler Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Archived Data Warehouse	Information Service Provider	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Airport	Broadcast Information	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Local Emergency Management	Weather Service Information	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Archived Data Warehouse	Weather Service Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Blount County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Local Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Blount County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Local City Emergency Management	Incident Response	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Local City Emergency Management	Coordination	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Local City Emergency Management	Incident Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Marysville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Blount County Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Marysville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Blount County Archived Data Warehouse	Traffic Management	Archive Data Requests		
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Marysville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Weather Service	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Blount County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Marysville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Blount County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Blount County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Blount County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	City of Alcoa Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Alcoa Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Alcoa Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
City of Alcoa Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City of Alcoa Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City of Alcoa Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Marysville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
City of Marysville Emergency Management	City of Alcoa Emergency Management	Incident Response Coordination	Daily Periodic in Real Time	Local Standard Recommended
City of Marysville Emergency Management	City of Alcoa Emergency Management	Incident Report	Daily Periodic in Real Time	Local Standard Recommended
City of Alcoa Emergency Management	City of Marysville Emergency Management	Incident Response Coordination	System Command Control	NTCIP Recommended
City of Alcoa Emergency Management	City of Marysville Emergency Management	Incident Report	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Alcoa				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Blount County Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Alcoa				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Blount County Archived Data Warehouse	Traffic Management	Archive Data Requests		
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Alcoa				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Weather Service	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Blount County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Alcoa				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Blount County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Blount County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Blount County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	City of Alcoa Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Alcoa Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Alcoa Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
City of Alcoa Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City of Alcoa Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City of Alcoa Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Alcoa				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
City of Marysville Emergency Management	City of Alcoa Emergency Management	Incident Response Coordination	Daily Periodic in Real Time	Local Standard Recommended
City of Marysville Emergency Management	City of Alcoa Emergency Management	Incident Report	Daily Periodic in Real Time	Local Standard Recommended
City of Alcoa Emergency Management	City of Marysville Emergency Management	Incident Response Coordination	System Command Control	NTCIP Recommended
City of Alcoa Emergency Management	City of Marysville Emergency Management	Incident Report	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Sevier County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Local Emergency Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Sevier County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
City / County Emergency Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Local Traffic Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
City / County Traffic Management	Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Information Service Provider	Archived Data Warehouse	Traveler Archive Data	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Archived Data Warehouse	Local Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Archived Data Warehouse	City / County Emergency Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Sevier County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Personal Information Access	Traffic Management	Request for Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Personal Information Access	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Transit Management	Traffic Information for Transit	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Traffic Management	Transit Information for Traffic	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Transit Vehicle	Driver Instructions	Daily Periodic in Real Time	Local Standard Recommended
Transit Management	Knoxville Transit Management	Transit Information	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Transit Driver	Route Assignment	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Sevier County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Transit Driver	Transit Vehicle	Transit Driver Availability	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Transit Management	Transit Vehicle Passenger and Use Data	Daily Periodic in Real Time	Local Standard Recommended
Transit Vehicle	Roadway	Local Signal Priority Request	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Sevier County Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Sevier County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Sevier Traffic Management	City / County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Sevier Traffic Management	City / County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Sevier Traffic Management	City / County Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended
City / County Traffic Management	Sevier Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City / County Traffic Management	Sevier Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City / County Traffic Management	Sevier Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Sevierville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Sevier County Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Sevierville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Sevier County Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Sevierville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Sevierville				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Sevier County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Pigeon Forge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Sevier County Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Pigeon Forge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Sevier County Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Pigeon Forge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Pigeon Forge				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Sevier County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	City of Gatlinburg Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Gatlinburg Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Gatlinburg Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
City of Gatlinburg Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City of Gatlinburg Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City of Gatlinburg Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Gatlinburg				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Sevier County Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Gatlinburg				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Sevier County Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Gatlinburg				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
City of Gatlinburg				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Sevier County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	City of Pigeon Forge Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Pigeon Forge Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	City of Pigeon Forge Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
City of Pigeon Forge Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
City of Pigeon Forge Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
City of Pigeon Forge Traffic Management	Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
Jefferson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Current Network Conditions	System Command Control	NTCIP Recommended
Traffic Management	Emergency Management	Emergency Traffic Control Response	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Emergency Management	Resource Deployment State	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Remote Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Traffic Management	Emergency Traffic Control Request	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Sevier County Archived Data Warehouse	Archive Data	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Jefferson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Sevier County Archived Data Warehouse	Traffic Management	Archive Data Requests	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended


Knoxville Regional RTMC Interface Descriptions				
Jefferson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Local Roadway	Local Signal Preempt Request	Daily Periodic in Real Time	Local Standard Recommended
Emergency Vehicle	Emergency Management	Incident Status	Daily Periodic in Real Time	Local Standard Recommended
Emergency Management	Emergency Vehicle	Emergency Dispatch Request	Daily Periodic in Real Time	Local Standard Recommended
Weather Service	Emergency Management	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Sevier County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Sevier County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
Jefferson County				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Sevier County Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Traffic Management	Sevier County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
National Park Service				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Media	Traffic Information for Media	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	TDOT FMS	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	TDOT FMS	Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	TDOT FMS	Information Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Weather Service	Weather Information	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Blount County Traffic Management	Traffic Information	System Command Control	NTCIP Recommended
Traffic Management	Blount County Traffic Management	Control Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Blount County Traffic Management	Information Coordination	Daily Periodic in Real Time	Local Standard Recommended

Knoxville Regional RTMC Interface Descriptions				
National Park Service				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Traffic Management	Construction and Maintenance	Maintenance Resource Request	Daily Periodic in Real Time	Local Standard Recommended
Construction and Maintenance	Traffic Management	Maintenance Resource Request, Closure Coordination	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Signal Control Data	System Command Control	NTCIP Recommended
Traffic Management	Roadway	Sensor Control	Daily Periodic in Real Time	Local Standard Recommended
Traffic Management	Roadway	Surveillance Control	Daily Periodic in Real Time	Local Standard Recommended
Roadway	Traffic Management	Traffic Flow	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Signal Control Status	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Request for right-of-way	System Command Control	NTCIP Recommended
Roadway	Traffic Management	Traffic Images	System Command Control	NTCIP Recommended

Knoxville Regional RTMC Interface Descriptions				
National Park Service				
Initializing Subsystem / Terminator	Receiving Subsystem / Terminator	Architecture Flow	Exchange Frequency	Protocol Categories
Roadway	Driver	Driver Information	Daily Periodic in Real Time	Local Standard Recommended
Blount County Traffic Management	Traffic Management	Traffic Control Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	Traffic Management	Traffic Information Coordination	System Command Control	NTCIP Recommended
Blount County Traffic Management	Traffic Management	Traffic Information	Daily Periodic in Real Time	Local Standard Recommended



Knoxville Area Regional Architecture

Legend

- Traffic Management**
 - Subsystem contains equipment managed in the market package
 - Equipment Package included in the market package
- Contract and Driver**
 - Terminator that participates in market package operation. Physical and human interface are minimized to simplify the operation.
- Architectural Notes**
 - Architectural notes that support market package operation. Architectural notes are defined in the physical architecture of the National ITS Architecture CD ROM Version 3.
- Physical ITS**
 - Encompasses the Physical ITS at each entity. The combination of all entities comprises the Knoxville Region.
- Logical ITS**
 - Encompasses the sub-area of the region for logical equipment.

Functions Contained Within Field Deployment Contract

Functions Contained Within TMC Integration Contract